

Budget Code/Fund/TX Type Dimension Structure





Dimension	Example	Dimension Explanation	
Vendors	USOFFICESUPPL 560746125/A	Vendors includes the vendor short name, the vendor number, and the vendor group.	
Requesters	AMY DAVIS	Requesters includes the requester name.	
Purchase Order	PO 1440004915 14BG ALFREDWILL	Purchase order includes the PO number, buying entity, and the vendor short name.	
Purchase Order Line	0009CHAIRS, UPHOLSTERED	Purchase order line includes the PO line number and the item description.	
Invoice	invc 370200-002 14pt raleighho	Invoice includes invoice number, paying entity, and vendor short name.	
Invoice Line	0001 smead legal file jac	Invoice line includes the line number and the description.	
Requisition	req1470002487 14bs pamelawashingt	Requisition includes the requisition number, the buying entity, and the requester.	
Requisition Line	0001 changeorder PO#14900017	Requisition line includes requisition line number and description.	

Toolbar Buttons						
	The New button creates a new Explorer report or Reporter based on the selected database and file preferences.	M)	The Open button opens an existing report within Explorer or Reporter. More than one report can be open at a time.			
	The Save button saves the active report in the current mode. Saving a report <i>overwrites</i> the current report.		The Print button prints the active report. PowerPlay prints the report using the Page Setup and the Print Setup commands.			
	The Print preview button shows how a report will look when printed.	S	The Undo button reverses the last change. This is not available if the report has been saved since the last change. The maximum number of undos is controlled in the file preferences.			
ŧ.	The Reset Dimensions button resets all dimensions in the dimension line to the top level.	1	The Dimension Viewer button shows or hides the dimension viewer.			
1	The Drill Through button is not used with the DSS implementation.	1	The Swap Rows and Columns button exchanges the positions of the row and column categories.			
A ↓	The Sort button opens the sort dialog box to sort by rows, columns or layers.	*	The Rank button ranks the selected categories.			
8	The Explorer <-> Reporter button switches from Explorer to Reporter and vice versa.		The Crosstab button changes the display to a tabular format. This is used to present data in large volumes. Data is presented in rows and columns.			
	The Pie button changes the display to a pie chart, which shows the relative proportions of parts to the whole.		The 3-D Bar button changes the display to a 3-D bar graph that contrasts two or more variables and reveals trends and irregularities.			
	The Simple bar button changes the display to a simple bar graph that contrasts two or more variables and reveals trends and irregularities.	3	The Clustered bar button changes the display to a clustered bar graph.			
	The Stacked bar button shows relative proportions of parts to the whole, and to each other.	1	The Single line button reveals trends and irregularities between two or more variables.			
×	The Multiline button compares trends and is useful to infer relationships between variables.		The Scatter compares two different measures. PowerPlay shows the 1 st measure in the Y axis and the 2 nd measure in the X axis.			
	The Correlation (depth) button compares the values of two measures.	?	The Help shows context- sensitive Help for the selected screen element.			
C	The Redo button redoes the last action that was undone.	*	The Cut button cuts the selection and puts it on the Clipboard.			
	The Copy button copies the selection and puts it on the Clipboard.		The Paste button inserts the Clipboard contents at the insertion point.			

Toolbar Buttons						
	The Copy button copies the selection and puts it on the Clipboard.		The Paste button inserts the Clipboard contents at the insertion point.			
	The Normal View button shows a report in a normal view.		The Page Layout View button shows the whole page at the reduced size as it will be printed.			
	The Page Width View button shows part of the page as it will print.		The Stacked Bar (depth) button shows the part that contributes to the total and compares change over time.			
W	The Correlation button compares two different measures, using bars for one and a single line for the other.		The Simple Bar (horizontal) button shows change over a specific time period. This is used to compare and contrast 2 or more variables in one time period.			
	The Simple Bar (horizontal with depth) button shows change over a specific time period. This is used to compare and contrast two or more variables in one time period.	3	The Simple Bar (depth) button changes to a simple bar display.			
ha	The Clustered Bar (depth) button groups related information and contrasts the groups over a period of time.		The Pie (depth) button shows the relationship of the parts to the whole, translating percentages into proportional sections.			
	The Standard Crosstab button formats crosstab reports with second level categories indented and with no gridlines.		The Indented 1 Crosstab button formats crosstab reports with second level categories indented and no gridlines.			
	The Indented 2 Crosstab button formats crosstab reports with second level categories indented, with no gridlines, and with a summary at the lowest level of detail in bold. This layout is only available for Explorer reports.		The Titles button is used to set a title for the report. You can add as many lines of information as you wish. The report title appears below the header if you added a header.			
	The Bring to Front button moves the selected displays to the front of overlapping displays. Available in page layout or page width view.	母	The Send to Back button moves the selected display behind other overlapping displays. This command is available only in page layout or page width view.			
В	The Bold button formats text and values in selected categories as bold.	I	The Italic button formats the text and values in selected categories to italics.			
5	The Currency button changes selected values in the active view or report to the currency format.	?	The About button shows information about your version of PowerPlay.			
	The Separator button is used to separate buttons in the toolbar.		The Launch Impromptu button is used to launch from within PowerPlay.			
	The Launch button opens the Launch dialog box where you can enable a button to launch an application or a macro from within PowerPlay.	0	The Suppress Zero Rows button switches zero suppression on or off for rows only.			
0	The Suppress Zero Columns button switches zero suppression on or off for columns only.	0	The Suppress Zeros button switches zero suppression on or off for the active report.			

Toolbar Buttons							
•	The Automatic Exceptions button automatically highlights any exceptionally high or low values in the report.	1	The Add Blank(s) button inserts one or more blank rows or columns in a Reporter report depending on your selection. When you switch from Reporter to Explorer all blank rows and columns are removed.				
	The Calculated Categories button shows or hides calculated categories in dimension line menus, dimension viewer, and Explorer reports.	\$2	The Currency Conversion button is used to change the currency of measures.				
	The Display Options button is used to change the settings for the selected display.						
	Dimension Viewe	er Explor	er Buttons				
	Replace Rows	MA	Replace Columns				
€	Replace Layers						
Dimension Viewer Reporter Buttons							
醤	Add as Rows	拉	Add Columns				
彗	Add Layers		Create Parentage Subset Definition				
[6]	Create Advanced Subset Definition	4	Next Level Children Of				
P	Lowest Level Children Of	町	Create Nesting Levels				
	Each	Σ	Sum Of				
*	Average Of	%	Share Of				
s.t	Intersect						
Dimension Viewer Explorer and Reporter Buttons							
7	Filter	% #	Format Measure				
abç	Short/Long Names	64	Create Find-in-Cube Subset Definition				